

1400

Linea - Line

raccorderia per idrosanitaria
sanitary fittings




The logo for General Fittings features a stylized circular emblem with a blue arrow on the left and a red arrow on the right, both pointing clockwise. The text "General Fittings" is written in a bold, italicized sans-serif font across the center of the emblem.

General Fittings




140074C040400A in sezione

140074C040400A cross section



140074C040310A in sezione

140074C040310A cross section



RACCORDI

FUNZIONAMENTO

I rubinetti sottolavabo vengono impiegati negli impianti sanitari per la distribuzione dell'acqua calda e fredda, la direzione del flusso è in entrata dal lato del rosone ed in uscita dall'attacco laterale, per interrompere il flusso ruotare la manopola in senso orario fino a battuta. Le filettature di attacco alla rete sono conformi alla norma ISO228.

MATERIALI

CORPO RUBINETTO: Ottone UNI EN 12165-CW617N Cromato

ASTINA, GHIERA: Ottone UNI EN 12164-CW614N

TENUTE: O-ring in EPDM PEROX, Guarnizione piatta in NBR

MANOPOLA: ABS Cromato

CARTUCCIA DI TENUTA: PE HD Eraclene MP94 con inserto ranella NBR e ottone

DADO: Ottone UNI EN 12164-CW614N Cromato

ROSONE: Acciaio Inox

PRESTAZIONI

FLUIDI: Acqua calda e fredda

TEMPERATURA MAX DI ESERCIZIO: da -10°C a +90°C

PRESSIONE MAX DI ESERCIZIO: 10 bar

FITTINGS

OPERATION

Under sink valves are used in plumbing fixtures to distribute cold and hot water, direct inflow from the wall mount side and outflow to the side attachment. Turn the knob clockwise until stop to cutoff the water flow. Water system thread coupling complies with norm ISO228.

MATERIALS

TAP BODY: Chromed brass UNI EN 12165-CW617N

SHAFT, RING NUT: Brass UNI EN 12164-CW614N

SEALS: O-ring in EPDM PEROX, Flat gasket in NBR

KNOB: Chromed ABS

SEALING GASKET: PE HD Eraclene MP94 with NBR stem brass washer

NUT: Chromed brass UNI EN 12164-CW614N

Wall mount: Stainless steel

PERFORMANCE

FLUIDS: Hot and cold water

MAX .OPERATING TEMP.: from -10°C to +90°C

MAX. OPERATING PRESSURE: 10 bar

Art. 1400.00

Niplo doppio cromato - *Double nipple chrome plated*



Codice/Code	Misura/Size	Quant./Q.ty	Euro
140000C030800H	8 x 8	200	2,12
140000C031000H	10 x 10	200	2,10

Art. 1400.10

Tee cromato - *Tee fitting chrome plated*



Codice/Code	Misura/Size	Quant./Q.ty	Euro
140010B031000A	10 x 10 x 10	80	4,21

Art. 1400.01

Niplo maschio cromato - *Male nipple chrome plated*



Codice/Code	Misura/Size	Quant./Q.ty	Euro
140001C030308H	3/8" x 8	200	1,52
140001C030310H	3/8" x 10	200	1,51
140001C040310H	1/2" x 3/8" x 10	200	1,58

Art. 1400.20

Angolo doppio cromato - *Double elbow chrome plated*



Codice/Code	Misura/Size	Quant./Q.ty	Euro
140020B031000A	10 x 10	100	3,25

Art. 1400.02

Niplo femmina cromato - *Female nipple chrome plated*



Codice/Code	Misura/Size	Quant./Q.ty	Euro
140002C030310H	3/8" x 10	200	1,54
140002C040310H	1/2" x 3/8" x 10	150	1,83

Art. 1400.21

Angolo maschio cromato - *Male elbow chrome plated*



Codice/Code	Misura/Size	Quant./Q.ty	Euro
140021B031000A	3/8" x 10	120	2,98



Art. 1400.23

Attacco a muro cromato - Wallplate elbow chrome plated



Codice/Code	Misura/Size	Quant./Q.ty	Euro
140023B041000A	1/2" x 10	50	4,72

Art. 1400.85

Adattatore cromato - Reducing adapter chrome plated



Codice/Code	Misura/Size	Quant./Q.ty	Euro
140085C042210H	1/2" a x M22 x 1i	200	0,72
140085C042215H	1/2" a x M22 x 1,5i	200	0,72
140085C052210H	3/4" a x M22 x 1i	200	0,94
140085C221004H	M22 x 1a x 1/2"i	200	0,85
140085C221005H	M22 x 1a x 3/4"i	200	0,94
140085C040500H	1/2" a x 3/4"i	200	1,10

Art. 1400.70

Dado cromato - Nut chrome plated



Codice/Code	Misura/Size	Quant./Q.ty	Euro
140070C030800H	3/8" x 8	500	0,57
140070C031000H	3/8" x 10	500	0,57
140070C041000H	1/2" x 10	300	0,75

Art. 1400.G4

Dado cromato completo - Complete nut chrome plated



Codice/Code	Misura/Size	Quant./Q.ty	Euro
1400G4C030800H	3/8" x 8	500	0,80
1400G4C031000H	3/8" x 10	500	0,80
1400G4C041000H	1/2" x 10	300	1,66

Art. 1400.G6

Raccordo a Y 1/2" spazzolato cromato
Y fitting 1/2" polished chromed



Codice/Code	Misura/Size	Quant./Q.ty	Euro
1400G6B040404H	1/2"	70	4,39

Art. 1400.G5

Raccordo universale cromato
Nipple m/f chrome plated



Codice/Code	Misura/Size	Quant./Q.ty	Euro
1400G5C050400H	3/4"a x 1/2"i	200	1,36

Art. 1400.74C

Rubinetto sottolavabo cromato con rosone
Under basin tap



Codice/Code	Misura/Size	Quant./Q.ty	Euro
140074C040300A	1/2" x 3/8"	30	4,16
140074C040400A	1/2" x 1/2"	30	4,25

Art. 1400.G7

Raccordo a Y 3/4" - Y fitting 3/4"



Codice/Code	Misura/Size	Quant./Q.ty	Euro
1400G7H050505H	3/4"	50	3,51

Art. 1400.74C

Rubinetto sottolavabo cromato con rosone - dado - cartuccia
Under basin tap



Codice/Code	Misura/Size	Quant./Q.ty	Euro
140074C040310A	1/2" x 3/8"x 10	30	4,90

Art. 1400.G7C

Raccordo a Y 3/4" cromato - Y fitting 3/4" chrome plated



Codice/Code	Misura/Size	Quant./Q.ty	Euro
1400G7C050505H	3/4"	50	3,95

Art. 1400.E4

Dado 10mm e guarnizione
Nut 10mm and gasket



Codice/Code	Misura/Size	Quant./Q.ty	Euro
1400E4C031000H	3/8"x 10	500	0,74