

2700

TISK SGS



RACCORDI FILETTATI IN OTTONE

BRASS THREADED FITTINGS

ART. 2700.10

RACCORDO A T MASCHIO
MALE TEE



CODICE CODE	MISURA SIZE	SCATOLA BOX
270010H040404A	1/2" x 1/2" x 1/2"	90
270010H050505A	3/4" x 3/4" x 3/4"	50
270010H101010A	1" x 1" x 1"	30

ART. 2700.12.N

RACCORDO A T M/F/M NICHELATO
NICKEL PLATED M/F/M TEE



CODICE CODE	MISURA SIZE	SCATOLA BOX
270012N040404A	1/2" x 1/2" x 1/2"	60

ART. 2700.10.N

RACCORDO A T MASCHIO NICHELATO
NICKEL PLATED MALE TEE



CODICE CODE	MISURA SIZE	SCATOLA BOX
270010N040404A	1/2" x 1/2" x 1/2"	90
270010N050505A	3/4" x 3/4" x 3/4"	50
270010N101010A	1" x 1" x 1"	30

ART. 2700.13

RACCORDO A T RIDOTTO
REDUCED TEE



CODICE CODE	MISURA SIZE	SCATOLA BOX
270013H050405A	3/4" x 1/2" x 3/4"	50
270013H100410A	1" x 1/2" x 1"	20
270013H100510A	1" x 3/4" x 1"	20

ART. 2700.12

RACCORDO A T M/F/M
M/F/M TEE



CODICE CODE	MISURA SIZE	SCATOLA BOX
270012H040404A	1/2" x 1/2" x 1/2"	60

ART. 2700.13.C

RACCORDO A T RIDOTTO CROMATO
CHROME PLATED REDUCED TEE



CODICE CODE	MISURA SIZE	SCATOLA BOX
270013C050405A	3/4" x 1/2" x 3/4"	50
270013C100410A	1" x 1/2" x 1"	20
270013C100510A	1" x 3/4" x 1"	20

RACCORDI PER
TUBO FERRO
FITTINGS FOR IRON PIPE

RACCORDI FILETTATI IN OTTONE

BRASS THREADED FITTINGS

ART. 2700.13.N

RACCORDO A T RIDOTTO NICHELATO
NICKEL PLATED REDUCED TEE



CODICE CODE	MISURA SIZE	SCATOLA BOX
270013N050405A	3/4" x 1/2" x 3/4"	50
270013N100410A	1" x 1/2" x 1"	20
270013N100510A	1" x 3/4" x 1"	20

ART. 2700.14.B

RACCORDO A T FEMMINA CROMATO LUCIDO
POLISHED CHROMED FEMALE TEE



CODICE CODE	MISURA SIZE	SCATOLA BOX
270014B020202A	1/4"	150
270014B030303A	3/8"	80
270014B040404A	1/2"	60
270014B050505A	3/4"	40
270014B101010A	1"	25

VERSIONE CROMATA
CHROME PLATED VERSION

270014C121212A	1"1/4	15
270014C141414A	1"1/2	12
270014C202020A	2"	5

ART. 2700.14

RACCORDO A T FEMMINA
FEMALE TEE



CODICE CODE	MISURA SIZE	SCATOLA BOX
270014H020202A	1/4"	150
270014H030303A	3/8"	80
270014H040404A	1/2"	60
270014H050505A	3/4"	40
270014H101010A	1"	25
270014H121212A	1"1/4	15
270014H141414A	1"1/2	12
270014H202020A	2"	5
270014H242424A	2"1/2	3
270014H303030A	3"	2
270014H404040A	4"	-

ART. 2700.14.N

RACCORDO A T FEMMINA NICHELATO
NICKEL PLATED FEMALE TEE



CODICE CODE	MISURA SIZE	SCATOLA BOX
270014N020202A	1/4"	150
270014N030303A	3/8"	80
270014N040404A	1/2"	60
270014N050505A	3/4"	40
270014N101010A	1"	25
270014N121212A	1"1/4	15
270014N141414A	1"1/2	12
270014N202020A	2"	5

RACCORDI FILETTATI IN OTTONE

BRASS THREADED FITTINGS

ART. 2700.15

RACCORDO A T F/M/F
F/M/F TEE

CODICE CODE	MISURA SIZE	SCATOLA BOX
270015H04040A	1/2" x 1/2" x 1/2"	60
270015H05050A	3/4" x 3/4" x 3/4"	30
270015H101010A	1" x 1" x 1"	15

ART. 2700.15.N

RACCORDO A T F/M/F NICHELATO
NICKEL PLATED F/M/F TEE

CODICE CODE	MISURA SIZE	SCATOLA BOX
270015N04040A	1/2" x 1/2" x 1/2"	60
270015N05050A	3/4" x 3/4" x 3/4"	30
270015N101010A	1" x 1" x 1"	15

ART. 2700.20

ANGOLO M/M
M/M ELBOW

CODICE CODE	MISURA SIZE	SCATOLA BOX
270020H04040A	1/2" x 1/2"	120
270020H05050A	3/4" x 3/4"	80
270020H101000A	1" x 1"	50

ART. 2700.20.N

ANGOLO M/M NICHELATO
NICKEL PLATED M/M ELBOW

CODICE CODE	MISURA SIZE	SCATOLA BOX
270020N04040A	1/2" x 1/2"	120
270020N05050A	3/4" x 3/4"	80
270020N101000A	1" x 1"	50

ART. 2700.23

ATTACCO A MURO F/F CON FLANGIA 3 FORI
F/F WALLPLATE ELBOW WITH 3 HOLES

CODICE CODE	MISURA SIZE	SCATOLA BOX
270023H04040A	1/2"	60

ART. 2700.23.C

ATTACCO A MURO F/F CROMATO CON FLANGIA 3 FORI
CHROME PLATED F/F WALLPLATE ELBOW WITH 3 HOLES

CODICE CODE	MISURA SIZE	SCATOLA BOX
270023C04040A	1/2"	60

ART. 2700.23.N

ATTACCO A MURO F/F NICHELATO CON FLANGIA 3 FORI
NICKEL PLATED F/F WALLPLATE ELBOW WITH 3 HOLES

CODICE CODE	MISURA SIZE	SCATOLA BOX
270023N04040A	1/2"	60

RACCORDI FILETTATI IN OTTONE

BRASS THREADED FITTINGS

ART. 2700.24

ANGOLO M/F
M/F ELBOW

CODICE CODE	MISURA SIZE	SCATOLA BOX
270024H020200A	1/4"	150
270024H030300A	3/8"	120
270024H040400A	1/2"	80
270024H050500A	3/4"	40
270024H101000A	1"	30
270024H121200A	1"1/4	15
270024H141400A	1"1/2	10
270024H202000A	2"	5
270024H242400A	2"1/2	3
270024H303000A	3"	2

ART. 2700.24.N

ANGOLO M/F NICHELATO
NICKEL PLATED M/F ELBOW

CODICE CODE	MISURA SIZE	SCATOLA BOX
270024N020200A	1/4"	150
270024N030300A	3/8"	120
270024N040400A	1/2"	80
270024N050500A	3/4"	40
270024N101000A	1"	30
270024N121200A	1"1/4	15
270024N141400A	1"1/2	10
270024N202000A	2"	5

ART. 2700.24.B

ANGOLO M/F CROMATO LUCIDO
POLISHED CHROMED M/F ELBOW

CODICE CODE	MISURA SIZE	SCATOLA BOX
270024B020200A	1/4"	150
270024B030300A	3/8"	120
270024B040400A	1/2"	80
270024B050500A	3/4"	40
270024B101000A	1"	30
VERSIONE CROMATA CHROME PLATED VERSION		
270024C121200A	1"1/4	15
270024C141400A	1"1/2	10
270024C202000A	2"	5

ART. 2700.25

ANGOLO F/F
F/F ELBOW

CODICE CODE	MISURA SIZE	SCATOLA BOX
270025H020200A	1/4"	170
270025H030300A	3/8"	150
270025H040400A	1/2"	90
270025H050500A	3/4"	60
270025H101000A	1"	30
270025H121200A	1"1/4	20
270025H141400A	1"1/2	15
270025H202000A	2"	5
270025H242400A	2"1/2	4
270025H303000A	3"	2

RACCORDI FILETTATI IN OTTONE

BRASS THREADED FITTINGS

ART. 2700.25.B

ANGOLO F/F CROMATO LUCIDO
POLISHED CHROMED F/F ELBOW



CODICE CODE	MISURA SIZE	SCATOLA BOX
270025B020200A	1/4"	170
270025B030300A	3/8"	150
270025B040400A	1/2"	90
270025B050500A	3/4"	60
270025B101000A	1"	30

VERSIONE CROMATA

CHROME PLATED VERSION

270025C121200A	1"1/4	20
270025C141400A	1"1/2	15
270025C202000A	2"	5

ART. 2700.25.N

ANGOLO F/F NICHELATO
NICKEL PLATED F/F ELBOW



CODICE CODE	MISURA SIZE	SCATOLA BOX
270025N020200A	1/4"	170
270025N030300A	3/8"	150
270025N040400A	1/2"	90
270025N050500A	3/4"	60
270025N101000A	1"	30
270025N121200A	1"1/4	20
270025N141400A	1"1/2	15
270025N202000A	2"	5
270025N242400A	2"1/2	4
270025N303000A	3"	2

ART. 2700.26

ANGOLO RIDOTTO M/F
M/F REDUCED ELBOW



CODICE CODE	MISURA SIZE	SCATOLA BOX
270026H050400A	F 3/4" x M 1/2"	60

ART. 2700.26.N

ANGOLO RIDOTTO M/F NICHELATO
NICKEL PLATED M/F REDUCED ELBOW



CODICE CODE	MISURA SIZE	SCATOLA BOX
270026N050400A	F 3/4" x M 1/2"	60

ART. 2700.29

ANGOLO RIDOTTO F/F
F/F REDUCED ELBOW



CODICE CODE	MISURA SIZE	SCATOLA BOX
270029H050400A	3/4" x 1/2"	60
270029H100500A	1" x 3/4"	40

ART. 2700.29.N

ANGOLO RIDOTTO F/F NICHELATO
NICKEL PLATED F/F REDUCED ELBOW



CODICE CODE	MISURA SIZE	SCATOLA BOX
270029N050400A	3/4" x 1/2"	60
270029N100500A	1" x 3/4"	40

RACCORDI FILETTATI IN OTTONE

BRASS THREADED FITTINGS

ART. **2700.F8****ANGOLO M/F**
M/F ELBOW

CODICE CODE	MISURA SIZE	SCATOLA BOX
2700F8H030300A	3/8"	120
2700F8H040400A	1/2"	100
2700F8H050500A	3/4"	50
2700F8H101000A	1"	30
2700F8H121200A	1"1/4	20
2700F8H141400A	1"1/2	15
2700F8H202000A	2"	6

ART. **2700.36****CROCE FEMMINA**
FEMALE CROSS

CODICE CODE	MISURA SIZE	SCATOLA BOX
270036H040000A	1/2"	50
270036H050000A	3/4"	30
270036H100000A	1"	20
270036H120000A	1"1/4	10
270036H140000A	1"1/2	8
270036H200000A	2"	6

ART. **2700.F8.B****ANGOLO M/F CROMATO LUCIDO**
POLISHED CHROMED M/F ELBOW

CODICE CODE	MISURA SIZE	SCATOLA BOX
2700F8B030300A	3/8"	120
2700F8B040400A	1/2"	100
2700F8B050500A	3/4"	50
2700F8B101000A	1"	30

ART. **2700.36.N****CROCE FEMMINA NICHELATA**
NICKEL PLATED FEMALE CROSS

CODICE CODE	MISURA SIZE	SCATOLA BOX
270036N040000A	1/2"	50
270036N050000A	3/4"	30
270036N100000A	1"	20
270036N120000A	1"1/4	10
270036N140000A	1"1/2	8
270036N200000A	2"	6

ART. **2700.F8.N****ANGOLO M/F NICHELATO**
NICKEL PLATED M/F ELBOW

CODICE CODE	MISURA SIZE	SCATOLA BOX
2700F8N030300A	3/8"	120
2700F8N040400A	1/2"	100
2700F8N050500A	3/4"	50
2700F8N101000A	1"	30
2700F8N121200A	1"1/4	20

RACCORDI FILETTATI IN OTTONE

BRASS THREADED FITTINGS

ART. **2700.F9****ANGOLO MASCHIO**
MALE ELBOW

CODICE CODE	MISURA SIZE	SCATOLA BOX
2700F9H030300A	3/8"	100
2700F9H040400A	1/2"	80
2700F9H050500A	3/4"	40
2700F9H101000A	1"	30

ART. **2700.G1****MORSETTO PER TUBO FERRO**
HOLDFAST FOR IRON PIPE

CODICE CODE	MISURA SIZE	SCATOLA BOX
2700G1H040400A	1/2" x 1/2"	25
2700G1H050400A	3/4" x 1/2"	25

ART. **2700.F9.B****ANGOLO MASCHIO CROMATO LUCIDO**
POLISHED CHROMED MALE ELBOW

CODICE CODE	MISURA SIZE	SCATOLA BOX
2700F9B030300A	3/8"	100
2700F9B040400A	1/2"	80
2700F9B050500A	3/4"	40
2700F9B101000A	1"	30

ART. **2700.N4****RACCORDO 5 VIE**
FITTING 5 EXITS

CODICE CODE	MISURA SIZE	SCATOLA BOX
2700N4H100272A	1 x 1/4" h72	25
2700N4H100282A	1 x 1/4" h82	25
2700N4H100292A	1 x 1/4" h92	20

ART. **2700.F9.N****ANGOLO MASCHIO NICHELATO**
NICKEL PLATED MALE ELBOW

CODICE CODE	MISURA SIZE	SCATOLA BOX
2700F9N040400A	1/2"	80
2700F9N050500A	3/4"	40
2700F9N101000A	1"	30

ART. **2700.N5****RACCORDO 3 VIE**
FITTING 3 EXITS

CODICE CODE	MISURA SIZE	SCATOLA BOX
2700N5H101072A	1" x h72	25
2700N5H101082A	1" x h82	-
2700N5H101092A	1" x h92	-

RACCORDI FILETTATI IN OTTONE

BRASS THREADED FITTINGS

ART. 2700.C7

KIT DUE PEZZI: DADO + BOCCHETTONE - F PER POMPE

KIT TWO PIECES: NUT + FLAT NIPPLE - F FOR PUMPS



CODICE CODE	MISURA SIZE	SCATOLA BOX
2700C7H041000A	1/2" x 1"	24
2700C7H051200A	3/4" x 1"1/4	12
2700C7H140500H	3/4" x 1"1/2	12
2700C7H140400H	1/2" x 1"1/2	12
2700C7H141000H	1" x 1"1/2	12
2700C7H122000A	1"1/4 x 2"	12
2700C7H142200A	1"1/2 x 2"1/4	-
2700C7H202400A	2" x 2"1/2	-

ART. 2700.A2

RACCORDO DIRITTO M/F PER RADIATORE

M/F STRAIGHT FITTING FOR RADIATOR



CODICE CODE	MISURA SIZE	SCATOLA BOX
2700A2H030300A	3/8"	120
2700A2H040400A	1/2"	100
2700A2H050500A	3/4"	50
2700A2H101000A	1"	30
2700A2H121200A	1"1/4	20
2700A2H141400A	1"1/2	10
2700A2H202000A	2"	7

ART. 2700.A1

RACCORDO DIRITTO M/F PER RADIATORE CON SEDE PIANA E GUARNIZIONE VERDE

M/F STRAIGHT FITTING FOR RADIATOR WITH FLAT CONNECTION AND GREEN RING



CODICE CODE	MISURA SIZE	SCATOLA BOX
2700A1H030300A	3/8"	120
2700A1H040400A	1/2"	100
2700A1H050500A	3/4"	50
2700A1H101000A	1"	30
2700A1H121200A	1"1/4	20
2700A1H141400A	1"1/2	10
2700A1H202000A	2"	7

ART. 2700.A2.N

RACCORDO DIRITTO M/F NICHELATO PER RADIATORE

NICKEL PLATED M/F STRAIGHT FITTING FOR RADIATOR



CODICE CODE	MISURA SIZE	SCATOLA BOX
2700A2N030300A	3/8"	120
2700A2N040400A	1/2"	100
2700A2N050500A	3/4"	50
2700A2N101000A	1"	30
2700A2N121200A	1"1/4	20
2700A2N141400A	1"1/2	10
2700A2N202000A	2"	7

RACCORDI FILETTATI IN OTTONE

BRASS THREADED FITTINGS

ART. **2700.A4****ANGOLO M/F PER RADIATORE**

M/F ELBOW FOR RADIATOR



CODICE CODE	MISURA SIZE	SCATOLA BOX
2700A4H040400A	1/2"	60
2700A4H050500A	3/4"	30
2700A4H101000A	1"	20
2700A4H121200A	1"1/4	15
2700A4H141400A	1"1/2	10
2700A4H202000A	2"	4

ART. **2700.A6****RACCORDO DIRITTO M/M PER RADIATORE**

M/M STRAIGHT FITTING FOR RADIATOR



CODICE CODE	MISURA SIZE	SCATOLA BOX
2700A6H040400A	1/2"	90
2700A6H050500A	3/4"	40
2700A6H101000A	1"	20

ART. **2700.A4.N****ANGOLO M/F NICHELATO PER RADIATORE**

NICKEL PLATED M/F ELBOW FOR RADIATOR



CODICE CODE	MISURA SIZE	SCATOLA BOX
2700A4N040400A	1/2"	60
2700A4N050500A	3/4"	30
2700A4N101000A	1"	20
2700A4N121200A	1"1/4	15
2700A4N141400A	1"1/2	10
2700A4N202000A	2"	4

ART. **2700.A6.N****RACCORDO DIRITTO M/M NICHELATO PER RADIATORE**

NICKEL PLATED M/M STRAIGHT FITTING FOR RADIATOR



CODICE CODE	MISURA SIZE	SCATOLA BOX
2700A6N040400A	1/2"	90
2700A6N050500A	3/4"	40
2700A6N101000A	1"	20

RACCORDI FILETTATI IN OTTONE

BRASS THREADED FITTINGS

ART. **2700.A7****RACCORDO DIRITTO TRE PEZZI F/F**
F/F THREE PIECES STRAIGHT FITTING

CODICE CODE	MISURA SIZE	SCATOLA BOX
2700A7H040400A	1/2"	60
2700A7H050500A	3/4"	40
2700A7H101000A	1"	20
2700A7H121200A	1"1/4	20
2700A7H141400A	1"1/2	15
2700A7H202000A	2"	8

ART. **2700.I2****RACCORDO DIRITTO M/F CON O-RING PER RADIATORE**
M/F STRAIGHT FITTING WITH O-RING FOR RADIATOR

CODICE CODE	MISURA SIZE	SCATOLA BOX
2700I2H030300A	3/8" + OR	120
2700I2H040400A	1/2" + OR	100
2700I2H050500A	3/4" + OR	50
2700I2H101000A	1" + OR	30
2700I2H121200A	1"1/4 + OR	20
2700I2H141400A	1"1/2 + OR	10
2700I2H202000A	2" + OR	7

ART. **2700.A7.N****RACCORDO DIRITTO TRE PEZZI F/F NICHELATO**
NICKEL PLATED F/F THREE PIECES STRAIGHT FITTING

CODICE CODE	MISURA SIZE	SCATOLA BOX
2700A7N040400A	1/2"	60
2700A7N050500A	3/4"	40
2700A7N101000A	1"	20
2700A7N121200A	1"1/4	20
2700A7N141400A	1"1/2	15
2700A7H202000A	2"	8

ART. **2700.I2.N****RACCORDO DIRITTO M/F NICHELATO CON O-RING PER RADIATORE**
NICKEL PLATED M/F STRAIGHT FITTING WITH O-RING FOR RADIATOR

CODICE CODE	MISURA SIZE	SCATOLA BOX
2700I2N030300A	3/8" + OR	120
2700I2N040400A	1/2" + OR	100
2700I2N050500A	3/4" + OR	50
2700I2N101000A	1" + OR	30
2700I2N121200A	1"1/4 + OR	20
2700I2N141400A	1"1/2 + OR	10
2700I2N202000A	2" + OR	7

RACCORDI FILETTATI IN OTTONE

BRASS THREADED FITTINGS

ART. 2700.I4

ANGOLO M/F CON O-RING PER RADIATORE
M/F ELBOW WITH O-RING FOR RADIATOR



CODICE CODE	MISURA SIZE	SCATOLA BOX
2700I4H040400A	1/2" + OR	60
2700I4H050500A	3/4" + OR	30
2700I4H101000A	1" + OR	20
2700I4H121200A	1"1/4 + OR	15
2700I4H141400A	1"1/2 + OR	10
2700I4H202000A	2" + OR	4

ART. 2700.I4.N

ANGOLO M/F NICHELATO CON O-RING PER RADIATORE
NICKEL PLATED M/F ELBOW WITH O-RING FOR RADIATOR



CODICE CODE	MISURA SIZE	SCATOLA BOX
2700I4N040400A	1/2" + OR	60
2700I4N050500A	3/4" + OR	30
2700I4N101000A	1" + OR	20
2700I4N121200A	1"1/4 + OR	15
2700I4N141400A	1"1/2 + OR	10
2700I4N202000A	2" + OR	4

ART. 2700.I6

RACCORDO DIRITTO M/M CON O-RING PER RADIATORE

M/M STRAIGHT FITTING WITH O-RING FOR RADIATOR



CODICE CODE	MISURA SIZE	SCATOLA BOX
2700I6H040400A	1/2" + OR	90
2700I6H050500A	3/4" + OR	40
2700I6H101000A	1" + OR	20

ART. 2700.I6.N

RACCORDO DIRITTO M/F NICHELATO CON O-RING PER RADIATORE

NICKEL PLATED M/F STRAIGHT FITTING WITH O-RING FOR RADIATOR



CODICE CODE	MISURA SIZE	SCATOLA BOX
2700I6N040400A	1/2" + OR	90
2700I6N050500A	3/4" + OR	40
2700I6N101000A	1" + OR	20

ART. 2700.G2

DADO + BOCCHETTONE MASCHIO *

NUT + MALE FLAT NIPPLE *



CODICE CODE	MISURA SIZE	SCATOLA BOX
2700G2H040500A	1/2" x 3/4"	100
2700G2H051000A	3/4" x 1"	50
2700G2H101200A	1" x 1"1/4	40
2700G2H121400A	1"1/4 x 1"1/2	25
2700G2H142000A	1"1/2 x 2"	15
2700G2H202400A	2" x 2"1/2	8

* Guarnizione da ordinare a parte
* Gasket not included

RACCORDI FILETTATI IN OTTONE

BRASS THREADED FITTINGS

ART. 2700.53

RACCORDO DIRITTO PROLUNGATO PER CASSONE
BIN LONG STRAIGHT FITTING



CODICE CODE	MISURA SIZE	SCATOLA BOX
270053H040000H	1/2"	-
270053H050000H	3/4"	30
270053H100000H	1"	-
270053H120000H	1 1/4"	-
270053H140000H	1 1/2"	-
270053H200000H	2"	-

ART. 2700.59

COLLETTORE M/F
M/F MANIFOLD




CODICE CODE	ENTRATA INLET	VIE WAYS	ATTACCO CONNECTION	SCATOLA BOX
270059H050402A	3/4"	2	1/2"	40
270059H050403A	3/4"	3	1/2"	30
270059H050404A	3/4"	4	1/2"	20
270059H100402A	1"	2	1/2"	30
270059H100403A	1"	3	1/2"	20
270059H100404A	1"	4	1/2"	15

ART. 2700.54

RACCORDO DIRITTO CON PILETTA PER CASSONE
BIN STRAIGHT FITTING WITH WAIST



CODICE CODE	MISURA SIZE	SCATOLA BOX
270054H040000H	1/2"	-
270054H050000H	3/4"	-
270054H100000H	1"	-
270054H120000H	1 1/4"	-
270054H140000H	1 1/2"	-



R"	1/2"	3/4"	1	1 1/4	1 1/2
R" 1	3/8"	1/2"	3/4"	1"	1 1/4
L	68	76	80	102	108
D	38	43	49	64	65
D1	45	50	61	65	67

RACCORDI FILETTATI IN OTTONE

BRASS THREADED FITTINGS

ART. 2700.61

COLLETTORE M/F
M/F MANIFOLD

CODICE CODE	ENTRATA INLET	VIE WAYS	ATTACCO CONNECTION	SCATOLA BOX
270061H050402A	3/4"	2	1/2"	40
270061H050403A	3/4"	3	1/2"	30
270061H050404A	3/4"	4	1/2"	20
270061H100402A	1"	2	1/2"	30
270061H100403A	1"	3	1/2"	20
270061H100404A	1"	4	1/2"	15
270061H100502A	1"	2	3/4"	25
270061H100503A	1"	3	3/4"	15
270061H100504A	1"	4	3/4"	10

ART. 2700.61.N

COLLETTORE M/F NICHELATO
NICKEL PLATED M/F MANIFOLD

CODICE CODE	ENTRATA INLET	VIE WAYS	ATTACCO CONNECTION	SCATOLA BOX
270061N050402A	3/4"	2	1/2"	40
270061N050403A	3/4"	3	1/2"	30
270061N050404A	3/4"	4	1/2"	20
270061N100402A	1"	2	1/2"	30
270061N100403A	1"	3	1/2"	20
270061N100404A	1"	4	1/2"	15
270061N100502A	1"	2	3/4"	25
270061N100503A	1"	3	3/4"	15
270061N100504A	1"	4	3/4"	10

ART. 2700.G4

DADO E MONOCONO P.T.F.E.
NUT AND MONOCONE P.T.F.E.

CODICE CODE	MISURA SIZE	SCATOLA BOX
2700G4H041000A	1/2" x 10	200
2700G4H041200A	1/2" x 12	200
2700G4H041400A	1/2" x 14	200
2700G4H041600A	1/2" x 16	200

ART. 2700.80

DADO, OGIVA E INSERTO PER TUBO PE-X
NUT, RING AND INSERT FOR PE-X PIPE

CODICE CODE	MISURA SIZE	SCATOLA BOX
270080H041220A	1/2" x 12 x 2,0	150
270080H041525A	1/2" x 15 x 2,5	150
270080H041615A	1/2" x 16 x 1,5	150
270080H041620A	1/2" x 16 x 2,0	150
270080H041622A	1/2" x 16 x 2,2	150
270080H051620A	3/4" x 16 x 2,0	150
270080H051820H	3/4" x 18 x 2,0	100
270080H052020H	3/4" x 20 x 2,0	100

2100
2600
2700

SCHEDA TECNICA TECHNICAL SHEET

RACCORDI FILETTATI IN OTTONE
BRASS THREADED FITTINGS

CAMPI DI APPLICAZIONE

I raccordi per tubo ferro sono utilizzati per l'adduzione dell'acqua calda e fredda in impianti idrici sanitari e di riscaldamento.

Raccordi con guarnizione (O-Ring):

-Temperatura massima di esercizio: 80 °C.

-Temperatura minima: -20°C

-Pressione massima di esercizio: 10 Bar.

Raccordi filetto/filetto:

-Temperatura massima di esercizio: 120 °C.

-Temperatura minima: -30°C

-Pressione massima di esercizio: 16 Bar.

I raccordi sono conformi alla norma **UNI EN 1254-4**. "Raccordi combinati altri terminali di connessione con terminali di tipo capillare o a compressione"

UNI 8863: tubi senza saldature saldati, di acciaio non legato, filettabili secondo UNI ISO 7/1. Questa norma prescrive le caratteristiche di tubi senza saldature saldati, di acciaio non legato di qualità, filettabili secondo UNI ISO 7/1 nelle serie leggera, media e pesante,

FIELDS OF APPLICATION

The fittings for iron pipe are used for hot and cold water supply in sanitary and heating installations.

Fittings with tightness elements in rubber (O-Ring):

Maximum working temperature: 80°C

Minimum temperature: -20°C

Maximum operating pressure 10 Bar.

Fittings with tightness elements thread/thread:

Maximum working temperature: 120°C

Minimum temperature: -30°C.

Maximum operating pressure 16 Bar.

Fittings comply with **UNI EN 1254-4 law**. "Fittings combined with other coupling capillary or compression ends"

UNI 8863: pipes without welded welding, made of not alloyed steel, threadables according to UNI ISO 7/1.

Tab. 1

MATERIALI IMPIEGATI - MATERIALS USED		
	Normativa - Regulation	Materiali - Materials
Stampato Hot stamped	UNI EN 12165-CW617N-CuZn40Pb2	Cu 57-59 Pb 1.6-2.2 Sn ≤0.3 Fe ≤0.3 Ni ≤0.2 Al ≤0.05 Zn Diff.
Anello Rondella Ring washer	UNI EN 12166-CW508L-CuZn37	Cu 60-61 Pb 0.6-2.5 Sn ≤0.2 Fe ≤0.2 Ni ≤0.3 Al ≤0.05 Zn Diff.
O-ring	NITRILICA NITRILE	NBR
Ogiva Ring	ACCIAIO STEEL	X80CrSiNi20

Potabilità

I materiali utilizzati sono di alta qualità e in linea con l'applicazione del Decreto Ministeriale N°174 del 06/04/2004 Regolamento concernente i materiali e gli oggetti che possono essere utilizzati negli impianti fissi di captazione, trattamento, adduzione e distribuzione delle acque destinate al consumo umano. - Norma Tedesca DIN 50930-6 Potabilità ottoni - Direttiva 2002/95/EC PE.6 Allegato ROHS.

Drinkableness

The raw materials used are of high quality and comply with the Ministerial Decree N°174 dated 06/04/2004 concerning the materials and the items used in fixed installations for water collection, treatment and supply - German standard DIN 50930-6 Brass to be used for drinking water Directive 2002/95/EC PE.6 Attachment RoHS.

2100
2600
2700

SCHEDA TECNICA

TECHNICAL SHEET

RACCORDI FILETTATI IN OTTONE
BRASS THREADED FITTINGS


RACCORDI PER
TUBO FERRO
FITTINGS FOR IRON PIPE

CONDIZIONI DI IMPIEGO TERMS OF USE

Tab. 2

Serie leggera Light line $P_{max} = 10 \text{ bar}$				Serie media Medium line $P_{max} = 166 \text{ bar}$				Serie pesante Heavy line $P_{max} = 16 \text{ bar}$			
DN	Ø est. D Ø ext. D (mm)	spessore thickness s (mm)	filettatura thread	DN	Ø est. D Ø ext. D (mm)	spessore thickness s (mm)	filettatura thread	DN	Ø est. D Ø ext. D (mm)	spessore thickness s (mm)	filettatura thread
10	17.2	2.0	3/8"	10	17.2	2.3	3/8"	10	17.2	2.9	3/8"
15	21.3	2.3	1/2"	15	21.3	2.6	1/2"	15	21.3	3.2	1/2"
20	26.9	2.3	3/4"	20	26.9	2.6	3/4"	20	26.9	3.2	3/4"
25	33.7	2.9	1"	25	33.7	3.2	1"	25	33.7	4.0	1"
32	42.4	2.9	1"1/4	32	42.4	3.2	1"1/4	32	42.4	4.0	1"1/4
40	48.3	2.9	1"1/2	40	48.3	3.2	1"1/2	40	48.3	4.0	1"1/2
50	60.3	3.2	2"	50	60.3	3.6	2"	50	60.3	4.5	2"
65	76.1	3.2	2"1/2	65	76.1	3.6	2"1/2	65	76.1	4.5	2"1/2
80	88.9	3.6	3"	80	88.9	4.0	3"	80	88.9	5.0	3"

ISTRUZIONI DI MONTAGGIO ASSEMBLING INSTRUCTIONS




Posizionare sul raccordo uno strato di teflon o similare per permettere una migliore tenuta sull'attacco.

Place over the fitting a Teflon or similar coat in order to obtain a better tightness on the coupling.



Verificare che non vi sia eccedenza di materiale aggiunto per prevenire possibili rotture per l'eccessivo serraggio.

Please check if there is not a surplus of above-mentioned coat in order to prevent possible breakings caused by excessive clamping.



Collegare il raccordo con il circuito facendo attenzione a non eccedere con il serraggio del pezzo.

Connect the fitting with the circuit. Pay attention to not exceeding in fitting clamping.